



Dallas Cowboys Stadium

Irving, Texas

A permanent earth retention system was installed for the schedule-intensive, state-of-the-art Dallas Cowboys Stadium in less than five-and-a-half months. To support the largest domed stadium arches in the world, Keller also installed Load Bearing Elements (LBEs).



The project

The Dallas Cowboys professional football team planned to construct a new state-of-the-art stadium in the Dallas Metro Area. The new stadium, at the time of its construction, set several records as the world's largest single-span structure, and as the world's largest dome stadium, with 1/4 mile long Arch trusses supporting the world's largest retractable roof. The plans required a 52-foot deep excavation with a permanent earth retention system and heavy foundations system.

The challenge

The project had three significant challenges. The design of the project required a 52-foot deep excavation with only 1 inch of lateral movement. As with any major league stadium, the schedule was intensive and challenging. Keller's detailed planning and communications with other trades enabled us to achieve the compressed schedule while performing on a crowded site.

The solution

Keller provided a design-build valued engineered earth retention system consisting of soil nails with shotcrete facing. The system was completed on time and within the budget. The system included 350,000 lineal feet of soil nails and over 200,000 square feet of shotcrete.

To handle the more than 9,000-ton thrust reaction at each abutment supporting the largest domed stadium arches in the world, Keller installed four 176 feet long by 71 feet deep by 18 feet wide slurry wall abutment boxes at each corner of the stadium. The slurry walls were installed using state-of-the-art Leffer clamshells in order to penetrate the very hard, sandstone layers.

The steel cages in this box structure were heavily reinforced with more than 62 pounds per square foot of steel and the U-panel at each end of the boxes were constructed monolithically. These cages weighed in excess of 90 tons.

Project facts

Owner(s)

Dallas Cowboys

Keller business unit(s)

Keller

Main contractor(s)

Manhattan Construction

Engineer(s)

HKS

Solutions

Support of excavation
Deep foundations

Markets

Institutional
Sports and entertainment

Techniques

Soil nailing
Sculpted shotcrete
Load bearing elements (barrettes)
Diaphragm walls

Email address

info@keller-na.com

Phone number

1 (800) 456-6548